Revision: 06.05.2024

Tel. +31-(0)180 699 234

Fax. +31-(0)180 699 235

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 06.05.2024

Version number 3 (replaces version 2)

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: Gecko Clay Detailing Spray

· Article number: 687516

· UFI: UA2E-KY3J-R10R-FP6E

- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Product category PC35 Washing and cleaning products (including solvent based products)
- · Technical function Cleaning agent
- · Application of the substance / the mixture Cleaning agent/ Cleaner
- · Uses advised against

All applications that differ from the mentioned application in "application of the mixture", are advised against or have to be discussed with the supplier/producer

- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Maumo International B.V.

- · P.O. Box 441
- · 2990 AK Barendrecht
- · info@maumo.nl
- · Informing department: Product safety department.
- · 1.4 Emergency telephone number:

Information during office hours: +31-(0)180 699 234

### SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



Skin Sens. 1 H317 May cause an allergic skin reaction.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms



- · Signal word Warning
- · Hazard-determining components of labelling:

reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

· Hazard statements

H317 May cause an allergic skin reaction.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

*P103* Read carefully and follow all instructions.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves.

P362+P364 Take off contaminated clothing and wash it before reuse.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

(Contd. on page 2)

(Contd. of page 1)

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 06.05.2024 *Version number 3 (replaces version 2)* Revision: 06.05.2024

Trade name: Gecko Clay Detailing Spray

P321 Specific treatment (see on this label).

Dispose of contents/container in accordance with local/regional/national/international

regulations.

· 2.3 Other hazards

P501

· Results of PBT and vPvB assessment

· PBT: Not applicable.

· vPvB: Not applicable.

#### SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Cleansing agent

· Dangerous components:

CAS: 55965-84-9

reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. Index number: 613-167-00-5 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-

61 (3:1)

Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; Skin Corr. 1C, H314; Eye Dam. 1, H318; 🚯 Aquatic Acute 1,

H400 (M=100); Aquatic Chronic 1, H410 (M=100);  $\diamondsuit$  Skin Sens. 1A, H317, EUH071

Specific concentration limits: Skin Corr. 1C; H314:  $C \ge 0.6 \%$ 

Skin Irrit. 2; H315:  $0.06 \% \le C <$ 0.6 %

Eye Dam. 1; H318:  $C \ge 0.6 \%$ Eye Irrit. 2; H319:  $0.06 \% \le C <$ 0.6 %

Skin Sens. 1A; H317:  $C \ge 0.0015 \%$ 

· Ingredients conform EG 648/2004

phosphates, non-ionic surfactants, preservation agents, perfumes, Citral

<5%

· Additional information For the wording of the listed hazard phrases refer to section 16.

#### SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information Instantly remove any clothing soiled by the product.
- · After inhalation

Supply fresh air and call for doctor for safety reasons.

*In case of unconsciousness bring patient into stable side position for transport.* 

· After skin contact

*Instantly wash with water and soap and rinse thoroughly.* 

Instantly rinse with water.

· After eve contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.

- · After swallowing In case of persistent symptoms consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

#### SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents

Use fire fighting measures that suit the environment.

• 5.2 Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 3)

Printing date 06.05.2024 Version number 3 (replaces version 2) Revision: 06.05.2024

Trade name: Gecko Clay Detailing Spray

(Contd. of page 2)

· 5.3 Advice for firefighters

· Protective equipment: No special measures required.

#### SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- · 6.2 Environmental precautions:

Dilute with much water.

Do not allow to enter drainage system, surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of contaminated material as waste according to item 13.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

### SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and containers: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Storage class 10
- · 7.3 Specific end use(s) No further relevant information available.

#### SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the compilation were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures

Take off immediately all contaminated clothing

Wash hands during breaks and at the end of the work.

· Breathing equipment:

In case of brief exposure or low pollution use breathing filter apparatus. In case of intensive or longer exposure use breathing apparatus that is independent of circulating air.

· Hand protection

Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

(Contd. on page 4)

Printing date 06.05.2024 Version number 3 (replaces version 2) Revision: 06.05.2024

Trade name: Gecko Clay Detailing Spray

(Contd. of page 3)

· Material of gloves

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

> 0.5 mm / 240 min.

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye/face protection Safety glasses recommended during refilling.
- · Body protection: Protective work clothing.

#### SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

Physical state
Colour:
Odour:
Odour threshold:
Melting point/freezing point:
Fluid
Colourless
Pleasant
Not determined
Not determined

· Boiling point or initial boiling point and boiling

range 100 °C (7732-18-5 water)

· Flammability Not applicable.

· Lower and upper explosion limit

· Lower: Not determined.
· Upper: Not determined.
· Flash point: >150 °C
· Decomposition temperature: Not determined.

 $\cdot$  pH at  $\overline{20}$  °C

· Viscosity:

Kinematic viscosity
 dynamic at 20 °C:
 Not determined.
 0.952 mPas

· Solubility

• Water: Fully miscible • Partition coefficient n-octanol/water (log value) Not determined.

• Vapour pressure at 20 °C: 23 hPa (7732-18-5 water)

· Density and/or relative density

Density at 20 °C
 Relative density
 Vapour density
 Not determined.
 Not determined.

· 9.2 Other information

· Appearance:

· Form: Fluid
· Important information on protection of health and

environment, and on safety.

Self-inflammability: Product is not selfigniting.
 Explosive properties: Product is not explosive.

· Solvent content:

· VOC (EC) 0.01 %

· Change in condition

· Evaporation rate Not determined.

· Information with regard to physical hazard classes

Explosives VoidFlammable gases Void

(Contd. on page 5)

Printing date 06.05.2024 Version number 3 (replaces version 2) Revision: 06.05.2024

Trade name: Gecko Clay Detailing Spray

		(Contd. of page 4)
· Aerosols	Void	
· Oxidising gases	Void	
· Gases under pressure	Void	
· Flammable liquids	Void	
· Flammable solids	Void	
· Self-reactive substances and mixtures	Void	
· Pyrophoric liquids	Void	
· Pyrophoric solids	Void	
· Self-heating substances and mixtures	Void	
· Substances and mixtures, which emit flamme	able	
gases in contact with water	Void	
· Oxidising liquids	Void	
· Oxidising solids	Void	
· Organic peroxides	Void	
· Corrosive to metals	Void	
· Desensitised explosives	Void	

### SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid Avoid creating mist or damp in rooms where no ventilation is present
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known

#### SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values that are relevant for classification:

55965-84-9 reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

Oral LD50 53 mg/kg (rat)

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation May cause an allergic skin reaction.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards

77 1		7.	, •	, •
$\cdot$ $\mu$ $n$	acrino	aicriin	กกกด	nranornos
Liiu	ocinic	uisiup	ung	properties

118-58-1 benzyl salicylate

List II

– GE

Printing date 06.05.2024 Version number 3 (replaces version 2) Revision: 06.05.2024

Trade name: Gecko Clay Detailing Spray

(Contd. of page 5)

### SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

55965-84-9 reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

LC50/96h 0.36 mg/l (fish)

EC50/72h | 0.06-0.13 mg/l (algae)

- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.
- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water.

Do not allow product to reach ground water, water bodies or sewage system.

### SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleaning agent: Water, if necessary with cleaning agent.

14.1 UN number or ID number	-	
ADR, IMDG, IATA	Void	
14.2 UN proper shipping name ADR, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	Void	
14.4 Packing group	-	
ADR, IMDĞ, İATÂ	Void	
14.5 Environmental hazards:	Not applicable.	
14.6 Special precautions for user	Not applicable.	
14.7 Maritime transport in bulk according	g to IMO	
instruments	Not applicable.	
Transport/Additional information:		
ADR Excepted quantities (EQ)	NOT SUBJECT TO ADR	

(Contd. on page 7)

Printing date 06.05.2024 Version number 3 (replaces version 2) Revision: 06.05.2024

Trade name: Gecko Clay Detailing Spray

(Contd. of page 6)

· UN "Model Regulation":

Void

#### SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Poisons Act
- · Regulated explosives precursors

None of the ingredients is listed.

· Regulated poisons

None of the ingredients is listed.

· Reportable explosives precursors

None of the ingredients is listed.

· Reportable poisons

None of the ingredients is listed.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

- · REGULATION (EU) 2019/1148
- · Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

· Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H301 Toxic if swallowed.

H310 Fatal in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H330 Fatal if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

EUH071 Corrosive to the respiratory tract.

(Contd. on page 8)

(Contd. of page 7)

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 06.05.2024 *Version number 3 (replaces version 2)* Revision: 06.05.2024

Trade name: Gecko Clay Detailing Spray

• Department issuing data specification sheet: Environment protection department.

· Contact: Research & Development

· Version number of previous version: 2

· Abbreviations and acronyms:

Acute Tox. 3: Acute toxicity – Category 3

Acute Tox. 2: Acute toxicity – Category 2 Skin Corr. 1C: Skin corrosion/irritation – Category 1C

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1A: Skin sensitisation - Category 1A

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

\* \* Data compared to the previous version altered.