Revision: 23.03.2023

Tel. +31-(0)180 699 234

Fax. +31-(0)180 699 235

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.03.2023

Version number 20 (replaces version 19)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: Gecko 3in1 super wax

· Article number: 687569

· UFI: 9V6E-DYPK-Y10Y-HS2U

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

· Life cycle stages

PW Widespread use by professional workers

F Formulation or re-packing

M Manufacture

C Consumer use

· Sector of Use

SU21 Consumer uses: Private households / general public / consumers

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

- · Product category PC31 Polishes and wax blends
- · Application of the substance / the mixture Waxpolish for painted (car, bus, boat) surfaces
- · Uses advised against

All applications that differ from the mentioned application in "application of the mixture", are advised against or have to be discussed with the supplier / producer

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Maumo international B.V.

· P.O. Box 441

· 2990 AK Barendrecht

· info@maumo.nl

· Informing department: info@maumo.nl

· 1.4 Emergency telephone number:

Information during office hours: +31-(0)180 699 234

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the GB CLP regulation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Additional information:

EUH210 Safety data sheet available on request.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Polishing product for painted surfaces
- · Dangerous components:

EC number: 927-241-2 Reg.nr.: 01-2119471843-32 aromatics

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% 2.5-<10%

♠ Flam. Liq. 3, H226; ♦ Asp. Tox. 1, H304; ♠ STOT SE 3, H336; Aquatic Chronic 3, H412, EUH066

(Contd. on page 2)

Printing date 23.03.2023 Version number 20 (replaces version 19) Revision: 23.03.2023

Trade name: Gecko 3in1 super wax

CAS: 64771-72-8 | n-Paraffine C10 -C13 | 2.5-<10% |
EINECS: 265-233-4 | & Asp. Tox. 1, H304, EUH066 | |
Reg.nr.: 01-2119475608-26

Ingredients conform EG 648/2004

(preservative = 2-Phenoxyethanol / Phenoxyethanol, CAS 122-99-6, EINECS 204-589-7, UK REACH 01-2119488943-21: <1%)

(preservative = Bronopol, CAS 52-51-7, < 0.1%)

aliphatic hydrocarbons	
non-ionic surfactants, preservation agents, perfumes, colouring agent	<5%

· Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information No special measures required.
- · After inhalation Supply fresh air.
- · After skin contact The product is not skin irritating.
- · After eye contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.

- · After swallowing In case of persistent symptoms consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents Water
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Particular danger of slipping on leaked/spilled product.

· 6.2 Environmental precautions:

Dilute with much water.

Do not allow to enter drainage system, surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Collect mechanically.

Dilute with much water.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling No special precautions necessary if used correctly.

(Contd. on page 3)

Printing date 23.03.2023 Version number 20 (replaces version 19) Revision: 23.03.2023

Trade name: Gecko 3in1 super wax

(Contd. of page 2)

- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage
- Requirements to be met by storerooms and containers: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- \cdot 7.3 *Specific end use(s) No further relevant information available.*

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the compilation were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures

The usual precautionary measures should be adhered to general rules for handling chemicals.

- · Breathing equipment: Not required.
- · Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the

degradation

· Material of gloves Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

> 0.5 mm / 240 min.

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye/face protection Safety glasses recommended during refilling.
- · Body protection:

Wear clothing that can prevent increased exposure (eg spills). Soiled and Soggy don't wear clothes. Preventing Prolonged Skin Exposure

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

Colour: Yellow
Odour: Characteristic
Odour threshold: Not determined.
Melting point/freezing point: Not determined

· Boiling point or initial boiling point and boiling

range 100 °C

· Flammability Not applicable.

· Lower and upper explosion limit

· Lower: 0.6 Vol %
 · Upper: 7.0 Vol %
 · Flash point: 66 °C
 · Ignition temperature: 24 °C

(Contd. on page 4)

Printing date 23.03.2023 Version number 20 (replaces version 19) Revision: 23.03.2023

Trade name: Gecko 3in1 super wax

	(Contd. of page
Decomposition temperature:	Not determined.
pH at 20 °C	~ 7.5
Viscosity:	
Kinematic viscosity	Not determined.
dynamic:	Not determined.
Solubility	
Water:	Partly soluble
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	
Density at 20 °C	$\sim 1.02 \text{ g/cm}^3$
Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information	
Appearance:	
Form:	Viscous
Important information on protection of health an	
environment, and on safety.	
Self-inflammability:	Product is not selfigniting.
Explosive properties:	Product is not explosive.
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical hazard classe	
Injormation wan regara to physical nazara classe Explosives	void
Explosives Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable	, ow
gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known

GB

Printing date 23.03.2023 Version number 20 (replaces version 19) Revision: 23.03.2023

Trade name: Gecko 3in1 super wax

(Contd. of page 4)

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50	values that	are relevant for classification:
52-51-7 2-	Bromo-2-i	nitropropane-1,3-diol
Oral	LD50	180 mg/kg (rat)
Dermal	LD50	1,600 mg/kg (rat)
64771-72-	8 n-Paraff	ine C10 -C13
Oral	LD50	>5,000 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rabbies)
Hydrocarb	ons, C10-	C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics
Oral	LD50	>5,000 mg/kg (rat) (OESO 401)
Dermal	LD50	>5,000 mg/kg (rabbies) (OESO 402)
Inhalative	LC50/4 h	>5,000 mg/l (rat) (OESO 403)
122-99-62	-phenoxye	ethanol
Oral	LD50	1,394 mg/kg (ATE)
		5 mg/kg (rabbies)
		1,260 mg/kg (rat)

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- $\cdot \textit{Reproductive toxicity } \textit{Based on available data, the classification criteria are not met.}$
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic to	xicity:
52-51-7 2-	Bromo-2-nitropropane-1,3-diol
LC50/96h	41.2 mg/l (Oncorhynchus mykiss)
EC50/48h	1.4 mg/l (daphnia)
122-99-6 2	-phenoxyethanol
EC50/48h	>500 mg/l (daphnia)
EC50/72h	220-460 mg/l (fish)
64771-72-	8 n-Paraffine C10 -C13
LC50/96h	>100 mg/l (fish)
EC50/48h	>1,000 mg/l (daphnia)
Hydrocarb	ons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics
LC50/96h	>10-<30 mg/l (Oncorhynchus mykiss)
LC50/72h	>1,000 mg/l (algae)
EC50/48h	>22-46 mg/l (daphnia)
	(Contd. on page 6)

(Contd. on page 6)

Printing date 23.03.2023 Version number 20 (replaces version 19) Revision: 23.03.2023

Trade name: Gecko 3in1 super wax

(Contd. of page 5)

- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.
- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water.

Do not allow product to reach ground water, water bodies or sewage system.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation Smaller quantities can be disposed with household waste.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleaning agent: Water, if necessary with cleaning agent.

· 14.1 UN number or ID number		
· ADR, ADN, IMDG, IATA	Void	
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA		
· Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards:		
· Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Maritime transport in bulk according	g to IMO	
instruments	Not applicable.	
· Transport/Additional information:		
· ADR		
· Excepted quantities (EQ)	NOT SUBJECT TO ADR	
· UN "Model Regulation":	Void	

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

GB

Printing date 23.03.2023 Version number 20 (replaces version 19)

Trade name: Gecko 3in1 super wax

(Contd. of page 6)

Revision: 23.03.2023

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H336 May cause drowsiness or dizziness.

H412 Harmful to aquatic life with long lasting effects.

EUH066 Repeated exposure may cause skin dryness or cracking.

- $\cdot \textbf{\textit{Department issuing data specification sheet:} } in fo@maumo.nl$
- · Contact: info@maumo.nl
- · Version number of previous version: 19
- · Abbreviations and acronyms:

Flam. Liq. 3: Flammable liquids – Category 3

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Asp. Tox. 1: Aspiration hazard - Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

* * Data compared to the previous version altered.

- G